




























# Moulded tiles and accessories for the NIBRA® plain clay tile 18/38

Moulded tiles for various functions meet the demand for homogeneous, architecturally demanding roofs.

They are also an important safety factor. Moulded tiles and accessories reduce the amount of laying work and facilitate calculations.

 <p><b>Plain tile</b> 18/38 circular cut</p>	 <p><b>1 1/4 left verge</b> 22.5/38 circular cut</p>	 <p><b>Standard ridge tile ~ 2.5 pcs/m</b> Length: ~ 43.0 cm    Covering length: ~ 36.0 cm Width: ~ 24.0 cm    Covering width: ~ 20.0 cm Weight: ~ 3.2 kg    Requirement: ~ 2.5 pcs/m</p>
 <p><b>Ridge tile</b> 18/27.5 circular cut</p>	 <p><b>3/4 left verge</b> 13.5/38 circular cut</p>	 <p><b>Standard start ridge</b> Length: ~ 43.0 cm    Covering length: ~ 37.0 cm Width: ~ 24.0 cm    Covering width: ~ 20.0 cm Weight: ~ 3.5 kg</p>
 <p><b>Eaves tile</b> 18/27.5 circular cut</p>	 <p><b>1 1/4 right verge</b> 22.5/38 circular cut</p>	 <p><b>Standard ridge end</b> Length: ~ 43.0 cm    Covering length: ~ 41.0 cm Width: ~ 24.0 cm    Covering width: ~ 20.0 cm Weight: ~ 3.5 kg</p>
 <p><b>1/2 plain tile, divisible</b> 18/38 circular cut</p>	 <p><b>3/4 right verge</b> 13.5/38 circular cut</p>	 <p><b>Universal hip cap</b> Weight: ~ 4.5 kg    Requirement: individual</p>
 <p><b>Plain vent tile</b> 18/38 Circular/straight cut</p>	 <p><b>Plain tile with hole</b> 36/38 Circular/straight cut</p>	 <p><b>Universal hip cap with four outlets</b> Weight: ~ 6.3 kg    Requirement: individual</p>
		 <p><b>Standard crest start</b> Length: ~ 49.0 cm    Covering length: ~ 43.9 cm Width: ~ 22.2 cm    Covering width: ~ 19.8 cm Weight: ~ 3.5 kg    Requirement: individual</p>
		 <p><b>Plain small ridge tile ~ 4.0 pcs/m</b></p>
		<p><b>Plain ridge tile start ridge</b></p> 
		<p><b>Plain ridge tile ridge end</b></p> 
		<p><b>Hip cap plain ridge tile</b></p> 
		<p><b>Plain large ridge tile ~ 3.0 pcs/m</b></p> 
		<p><b>Plain large ridge tile start ridge</b></p> 
		<p><b>Plain large ridge tile end ridge</b></p> 
		<p><b>Crest start for large plain ridge tile</b> Length: ~ 49.2 cm Weight: ~ 4.0 kg</p> 
		<p><b>Ceramic vent pipe tile with weather cap ø 125 and matching hose with adapter</b></p> 
		<p><b>Ceramic aerial passage, complete</b></p> 
		<p><b>Fleck Euro ventilator</b></p> 

# Moulded tiles and accessories for the NIBRA<sup>®</sup> plain clay tile 18/38

Moulded tiles for various functions meet the demand for homogeneous, architecturally demanding roofs.

They are also an important safety factor. Moulded tiles and accessories reduce the amount of laying work and facilitate calculations.



**Ceramic solar through tile up to ø 70 mm**



**Plain walking grid tile with U plate and walking grid mount galvanised/coated**



**Plain walking grid tile with U plate and alu step coated**



**Plain snow stop tile with round wood holder**



**Plain snow stop tile with support for snow rib**



**Steel skylight, coated**

Length: ~ 60.0 cm	Width: ~ 40.0 cm
	Hatch: 45.0 x 55.0 cm



**Ridge clip**

no. 470<sup>®</sup>/41 for standard ridge  
no. 470<sup>®</sup>/135 for small plain ridge  
no. 470<sup>®</sup>/150 for large plain ridge



**Plain tile clip 415c<sup>°</sup> 07 for laths 24 x 48**

**Plain tile clip 415c<sup>°</sup> 08 for laths 30 x 50**

**Plain tile clip 415c<sup>°</sup> 09 for laths 40 x 60**

# Moulded tiles and accessories for the NIBRA® "Berliner" plain tile segment cut 15.5/38

Moulded tiles for various functions meet the demand for homogeneous, architecturally demanding roofs.

They are also an important safety factor. Moulded tiles and accessories reduce the amount of laying work and facilitate calculations.

<p><b>Plain tile</b> 15.5/38 "Berliner" plain tile</p>	<p><b>1 1/4 left verge</b> 19.5/38 "Berliner" plain tile</p>	<p><b>Standard ridge tile ~ 2.5 pcs/m</b> Length: ~ 43.0 cm    Covering length: ~ 36.0 cm Width: ~ 24.0 cm    Covering width: ~ 20.0 cm Weight: ~ 3.2 kg    Requirement: ~ 2.5 pcs/m</p>
<p><b>Ridge tile</b> 15.5/27 "Berliner" plain tile</p>	<p><b>3/4 left verge</b> 11.6/38 "Berliner" plain tile</p>	<p><b>Standard start ridge</b> Length: ~ 43.0 cm    Covering length: ~ 37.0 cm Width: ~ 24.0 cm    Covering width: ~ 20.0 cm Weight: ~ 3.5 kg</p>
<p><b>Eaves tile</b> 15.5/27 "Berliner" plain tile</p>	<p><b>1 1/4 right verge</b> 19.5/38 "Berliner" plain tile</p>	<p><b>Standard ridge end</b> Length: ~ 43.0 cm    Covering length: ~ 41.0 cm Width: ~ 24.0 cm    Covering width: ~ 20.0 cm Weight: ~ 3.5 kg</p>
<p><b>1/2 plain tile, divisible</b> 15.5/38 "Berliner" plain tile</p>	<p><b>3/4 right verge</b> 11.6/38 "Berliner" plain tile</p>	<p><b>Universal hip cap</b> Weight: ~ 4.5 kg    Requirement: individual</p>
<p><b>Plain vent tile</b> 15.5/38 "Berliner" plain tile</p>	<p><b>Plain tile with hole</b> 31/38 "Berliner" plain tile</p>	<p><b>Universal hip cap with four outlets</b> Weight: ~ 6.3 kg    Requirement: individual</p>
		<p><b>Standard crest start</b> Length: ~ 49.0 cm    Covering length: ~ 43.9 cm Width: ~ 22.2 cm    Covering width: ~ 19.8 cm Weight: ~ 3.5 kg    Requirement: individual</p>
		<p><b>Plain small ridge tile ~ 4.0 pcs/m</b></p>
		<p><b>Plain ridge tile start ridge</b></p>
		<p><b>Plain ridge tile ridge end</b></p>
		<p><b>Hip cap plain ridge tile</b></p>
		<p><b>Plain large ridge tile ~ 3.0 pcs/m</b></p>
		<p><b>Plain large ridge tile start ridge</b></p>
		<p><b>Plain large ridge tile end ridge</b></p>
		<p><b>Crest start for large plain ridge tile</b> Length: ~ 49.2 cm Weight: ~ 4.0 kg</p>
		<p><b>Ceramic vent pipe tile with weather cap ø 125 and matching hose with adapter</b></p>
		<p><b>Ceramic aerial passage, complete</b></p>
		<p><b>Ceramic solar through tile up to ø 70 mm</b></p>

# Moulded tiles and accessories for the NIBRA® "Berliner" plain tile segment cut 15.5/38

Moulded tiles for various functions meet the demand for homogeneous, architecturally demanding roofs.

They are also an important safety factor. Moulded tiles and accessories reduce the amount of laying work and facilitate calculations.



#### Steel skylight, coated

Length: ~ 60.0 cm      Width: ~ 40.0 cm  
Hatch: 45.0 x 55.0 cm



#### Ridge clip

no. 470°/41 for standard ridge  
no. 470°/135 for small plain ridge  
no. 470°/150 for large plain ridge



Plain tile clip 415c° 07 for laths 24 x 48  
Plain tile clip 415c° 08 for laths 30 x 50  
Plain tile clip 415c° 09 for laths 40 x 60