


Clay roof tile order: Shed roof tile Twin trough gutter tile D 13

Delivery address for advance sample: _____

Building project: _____

(1) The length should normally be determined in the water rabet.



- 90°**
- longest size 325 mm results in a mean lath size 255 mm
 - shortest size 150 mm results in a mean lath size 80 mm
- 80° = RP 10°**
- longest size 310 mm results in a mean lath size 230 mm
 - shortest size 160 mm results in a mean lath size 80 mm
- 70° = RP 20°**
- longest size 320 mm results in a mean lath size 235 mm
 - shortest size 150 mm results in a mean lath size 65 mm
- 60° = RP 30°**
- longest size 325 mm results in a mean lath size 215 mm
 - shortest size 150 mm results in a mean lath size 40 mm

Dimensions from customer:

1 = _____ mm

2 = _____ mm

3 = _____ ° \sphericalangle

Screw hole:

- Shed roof lugs
- Water trough
- Upper side of tile
- No screw hole

Information on fastening (0.6kN/metre): Each shed roof tile, wood screw d = 4.5 mm – screw depth 24 mm Other means of fastening are to be proven. The screw connection must have a permanently elastic seal (e.g. plumber screws).

You will receive a sample roofing tile for comparison. Following approval with or without corrections we will inform you of the delivery date.

Advance sample approved: _____

Corrections: _____